

Kerone Research & Development Centre (KRDC), B/47, Addl. MIDC. Anand Nagar, Ambarnath (East), Thane- 421 506, India
Tel- +91-251-2620542/13/44/45/46, Email-info@kerone.com, www.kerone.com

Customer :	M/s Amalgamated Plantations Private Limited, Kolkata.
Process :	Continuous Microwave Heat Treatment for Drying of Turmeric Slices

TEST REPORT No: 47/KRDC/LAB/17 Mum 02/02/2018

Date Sample reception : 02/02/2018
ID : 47/LAB/17

SAMPLE DESCRIPTION:

Sampling : As Requested
Sample Condition : Acceptable
Quantity : 3 kilograms
Sampling date : 03/02/2018
Product : Green turmeric
Requirement : Dried product must with lowest moisture content
Start Date test : 03/02/2018
End Date test : 03/02/2018

LABORATORY EXPERIMENTAL SET UP:



Format: F/R&D/01

The value obtained is already corrected for possible recover value stated, if applicable. This document may not be reproduced or disclosed wholly or partly in any part thereof without the written consent of the laboratory management or customer. This document relates only to the specimen samples processed. The processed sample will be kept in this laboratory for 7 days from the date of heat treatment.

Kerone Research & Development Centre (KRDC), B/47, Addl. MIDC. Anand Nagar, Ambarnath (East), Thane- 421 506, India
Tel- +91-251-2620542/13/44/45/46, Email-info@kerone.com, www.kerone.com**Lab Microwave Heating System Specifications:**


Microwave Power	1.45 kW(CW)
Frequency	2450 MHz \pm 50
Infra-red Power	6 kW
Microwave Exposure Zone (Cavity)	1000 mm length wise
Web width	380mm
Entry Vestibule length	1200mm
Exit Vestibule Length	1200 mm
Exhaust Power	0.5 HP

Environment-laboratory Ambient Conditions:

Temperature (degree C)	29 degrees C (\pm 5 degrees C)
Humidity (%)	\leq 22 % RH
Pressure (kN/m ² or kPa)	Not recorded

Note for recommendation: Environmental conditions have a direct impact on test results. Accuracy and consistency of test data are affected by the laboratory conditions

EQUIPMENTS USED:

Name of Equipment	Picture of Equipment	Specifications
Compact Thermal Imaging Camera		Model: FLIR E-30 Resolution: 160 x 120 IR Thermal sensitivity of 0.10°C

Format: F/R&D/01

The value obtained is already corrected for possible recover value stated, if applicable. This document may not be reproduced or disclosed wholly or partly in any part thereof without the written consent of the laboratory management or customer. This document relates only to the specimen samples processed. The processed sample will be kept in this laboratory for 7 days from the date of heat treatment.

Kerone Research & Development Centre (KRDC), B/47, Addl. MIDC. Anand Nagar, Ambarnath (East), Thane- 421 506, India

Tel- +91-251-2620542/13/44/45/46, Email-info@kerone.com, www.kerone.com**Moisture Analyzer****Make: Axis Balance****Description:****Moisture range: 1%(sample
0.02/0.05g), 0.1% (Sample 0.5/5g),
0.01%(Sample>5g)****SAMPLE PREPARATION AND METHOD/PROCEDURE:**

The experiment has been performed on turmeric slices, which were dried in continuous infra-red heating system up to 30% moisture content without adding any additive to speed up the drying rate. These partial dried turmeric slices on microwavable glass tray has placed in such a manner that every slice get uniform exposure of microwaves and this tray passed through continuous microwave heating system with low conveyor speed.

The observations are made after every 1 pass of 10 minutes on the basis of LOD method by checking weight loss. Also, initial weight before drying and final weight after drying was taken.

ANALYTICAL RESULTS:**Initial sample weight: 352 grams****Intensity: 70%**


Sr. No.	Time (minutes)	Product temperature(°C)	Weight noted (grams)	Weight loss (grams)	Remarks, if any
1.	After 10	49.1	291	61	Drying rate started
2.	After 20	51.3	238	114	Drying phase continue
3.	After 30	51.9	186	166	Variant of Drying rate
4.	After 40	53.3	146	206	Required Drying rate

Sample weight after drying: 146 grams**Total weight loss on drying: 206 grams****Final Moisture Content: 1.43%****Format: F/R&D/01**

The value obtained is already corrected for possible recover value stated, if applicable. This document may not be reproduced or disclosed wholly or partly in any part thereof without the written consent of the laboratory management or customer. This document relates only to the specimen samples processed. The processed sample will be kept in this laboratory for 7 days from the date of heat treatment.

Kerone Research & Development Centre (KRDC), B/47, Addl. MIDC. Anand Nagar, Ambarnath (East), Thane- 421 506, India
Tel- +91-251-2620542/13/44/45/46, Email-info@kerone.com, www.kerone.com

GRAPHICAL REPRESENTATION OF DRYING PARAMETERS:




THERMAL IMAGE BEFORE AND AFTER HEAT TREATMENT:

1. Before Heat Treatment

Measurements °C 03/02/2018 4:07:47 PM

Ar1	Max	64.5
	Min	35.9
	Average	50.5
Sp1		43.7

Parameters	
Emissivity	0.95
Refl. temp.	20 °C
Distance	2 m
Relative humidity	50 %
Atm. temp.	33 °C
IR window temp.	20 °C
IR window transmission	1




Format: F/R&D/01

The value obtained is already corrected for possible recover value stated, if applicable. This document may not be reproduced or disclosed wholly or partly in any part thereof without the written consent of the laboratory management or customer. This document relates only to the specimen samples processed. The processed sample will be kept in this laboratory for 7 days from the date of heat treatment.

Kerone Research & Development Centre (KRDC), B/47, Addl. MIDC. Anand Nagar, Ambarnath (East), Thane- 421 506, India
Tel- +91-251-2620542/13/44/45/46, Email-info@kerone.com, www.kerone.com

2. After Heat Treatment:



BEFORE AND AFTER PICTURES OF SPECIMEN SAMPLE:



Observation:

The Drying behavior of turmeric slices has been investigated under the continuous microwave heating system. The drying rate is found to be decreasing with respect to increasing drying time. It has been found that the moisture content on the dry basis (%) decreases with respect to increase drying time.

In the processed sample, the fat, fiber, textural and color content has to analyze. As per physical investigation, it has been observed that there is no enzymatic browning, also there is hardness in texture and color change.



Miss Komal Bhoite
Tested By



Dr. Uttam K. Goswami
Approved By

Format: F/R&D/01

The value obtained is already corrected for possible recover value stated, if applicable. This document may not be reproduced or disclosed wholly or partly in any part thereof without the written consent of the laboratory management or customer. This document relates only to the specimen samples processed. The processed sample will be kept in this laboratory for 7 days from the date of heat treatment.